


SERIE/MODEL

DI □□□

CODICE/CODE

R331.05.01.□□□.01




□□□	A	B	C	m Modulo Module	z N° denti N° teeth	H		N° denti N° teeth	α	Mozzo Hub ①
						Max	Min			
070	60	20	0,4	1,5	15	7,28	7,22	2	20°	MDF 070
082	72,4	26,4	0,4	1,5	20	11,38	11,34	3	20°	MDF 082
092	83,25	39,5	0,5	1,5	27	16,38	16,34	4	20°	MDF 092
114	102,25	44	0,8	1,75	27	19,12	19,08	4	20°	MDF 114
126	115,25	48	1	3	18	23,10	23,05	3	20°	MDF 126
134	120,5	54	1	2	28	22,00	21,95	4	20°	MDF 134
140	126	60	1,2	2	31	22,10	22,05	4	20°	MDF 140
166	153,25	65	1,2	2,5	27	27,50	27,45	4	20°	MDF 166
167	153,25	80	1,2	2,5	33	27,72	27,67	4	20°	MDF 167
195	181	80	1,2	2,5	33	27,72	27,67	4	20°	MDF 195
210	196,5	86	1,2	2,5	36	34,85	34,80	5	20°	MDF 210
240	225	100	1,2	2,5	42	34,48	34,41	5	20°	MDF 240
260	240	130	1,2	2,5	54	49,72	49,65	7	20°	MDF 260
295	274	145,5	1,5	3	50	50,81	42,21	6	20°	MDF 295

SERIE/MODEL

DE □□□

CODICE/CODE

R311.05.01.□□□.01





□□□	A	B	C	D	E	Tacche Notches N°
070	69,5	60,5	26	7,5	0,4	6
082	81	71	34	8,1	0,4	6
092	92,25	83,15	44	8,1	0,5	6
114	112,25	102	52	10,1	0,8	6
126	126,25	114	64	10,2	1	6
134	132,25	119,75	64	10,2	1	6
140	139	126,25	70	10,2	1,2	6
166	165	152	79,5	12,25	1,2	6
167	165	152	92,5	15,25	1,2	6
195	193,75	181	92,5	15,25	1,2	6
210	208,5	196,5	100	18,25	1,2	6
240	240,5	225,25	113,75	20,25	1,2	6
260	260	242	144	22,25	1,2	6
295	295	274	158	26,5	1,5	6

SERIE/MODEL

MDF □□□

CODICE/CODE

45.03.□□□.01



□□□	A	B	C		D	E	F	G	m Modulo Module	z N° denti N° teeth	H		N° denti N° teeth	α	Per frizioni/freni For clutches /brakes EC, ECF, EC/F, EBLF
			Min	Max							Max	Min			
070	20	24,5	10	15	19	22,5	12	8	1,5	15	7,28	7,22	2	20°	070
082	22	32,2	12	18	26	30	12	10	1,5	20	11,38	11,34	3	20°	082
092	28	43,5	15	28	37	40,5	15	13	1,5	27	16,38	16,34	4	20°	092
114	36	50,5	18	34	42	47,25	16	20	1,75	27	19,12	19,08	4	20°	114
134	42	60,5	20	40	50	56	22	20	2	28	22,00	21,95	4	20°	134
140	42	66,4	25	45	56	62	22	20	2	31	21,95	21,90	4	20°	140
166	48	73,2	25	50	62	67,5	26	22	2,5	27	27,50	27,45	4	20°	166
195	54	88,2	30	65	76	82,5	26	28	2,5	33	27,72	27,67	4	20°	195
210	56	94,8	25	70	83	90	20	36	2,5	36	34,85	34,80	5	20°	210
240	60	110	40	80	98	105	28	32	2,5	42	34,48	34,41	5	20°	240
260	65	140	40	100	125	135	30	35	2,5	54	49,72	49,65	7	20°	260
295	70	156	40	112	140	150	30	40	3	50	50,81	50,74	6	20°	295